

# **FEDERAL ITEM IDENTIFICATION GUIDE**

## **FIRST AID KITS**

This Reprint replaces, FIIG A514Y, dated March 6, 2009.



Commander  
Defense Logistics Information Service  
ATTN: DLIS-K  
74 Washington Avenue North, Suite 7  
Battle Creek, Michigan 49037-3084  
(COMM) (269) 961-5779  
(DSN) 661-5779

This Federal Item Identification Guide for Supply Cataloging is issued under the authority of Department of Defense Instruction 5025.7.

The use of this publication is mandatory for US. Federal Activities participating in Federal Catalog System Operations.

BY ORDER OF THE DIRECTOR

/s/

Commander

Defense Logistics Information Service

## Table of Contents

INDEX OF APPROVED ITEM NAMES COVERED BY THIS FIIG .....	4
SECTION I .....	6
Reply Tables .....	12
Reference Drawing Groups.....	16
FIIG Change List .....	18

FIRST AID KITS  
INDEX OF APPROVED ITEM NAMES COVERED BY THIS FIIG

**INDEX OF APPROVED ITEM NAMES COVERED BY THIS FIIG**

<u>Approved Item Name</u>	<u>INC</u>
FIRST AID AND SNAKE BITE KIT	14545
FIRST AID KIT, AIR FORCE, GENERAL	14037
An item designed to provide essential components such as drugs, bandages, and repellents to equip planes for extended treatment of personnel in various types of climate.	
FIRST AID KIT, AIRPLANE #	34996
An item designed to provide first aid essentials for use by flying personnel either while the aircraft is in flight or immediately after a crash landing. Contains drugs, bandages, and surgical supplies.	
FIRST AID KIT, AVIATOR	14040
An item consisting of bandages and drugs to be carried by fleet aviators.	
FIRST AID KIT, BURN TREATMENT	28208
A group of ointments, pads, dressings, and the like, used for emergency treatment of burns.	
FIRST AID KIT, DENTAL	49609
A collection of items designed for use in emergency treatment, such as replacement of fillings, toothache, and the like. May include temporary filling material, wax, repair powder, cotton, tweezers, spatula, mixing dish, and the like.	
FIRST AID KIT, EYE DRESSING	14402
FIRST AID KIT, GENERAL PURPOSE	14041
Do not use if a more specific item name applies.	
FIRST AID KIT, GUN CREW	14042
An item consisting of bandages and drugs used in the first aid treatment of personnel in those types of injuries likely to be sustained by a gun crew.	
FIRST AID KIT, INDIVIDUAL	23705
A collection of drugs, dressings, and sundries giving first aid to a single casualty in unspecified circumstances. For kits designed for special cases, see FIRST AID KIT, (as modified). For treating plural casualties, see FIRST AID KIT, GENERAL PURPOSE.	
<i>FIRST AID KIT MODULE</i>	<i>68321</i>
<i>A collection of drugs, dressings, and sundries packaged as a module to be included as part of one or more FIRST AID KIT(s) (as modified).</i>	

FIRST AID KITS  
INDEX OF APPROVED ITEM NAMES COVERED BY THIS FIIG

<u>Approved Item Name</u>	<u>INC</u>
FIRST AID KIT, MOTOR VEHICLE	14046
FIRST AID KIT, PSYCHIATRIST	40351
A group of items which consists of a reflex testing hammer, syringe and needle set, otoscope and ophthalmoscope set, sphygmomanometer, tuning fork, and the like.	
FIRST AID KIT, SHELTER	49610
A collection of items designed for use in areas in which personnel are protected from the effects of radioactive contamination, hazardous weather, and the like. May include dressings, sponges, bandages, splints, blankets, and the like.	
FIRST AID KIT, SMALL CRAFT	34746
An assemblage of supplies and equipment suitable for rendering first aid in lifeboats, life rafts, torpedo patrol boats, or similar crafts.	
FIRST AID KIT, SPECIAL FORCES	40352
A group of items consisting of medicine such as antiphlogistics, nosespray, sedatives, surgical dressings, a surgical knife, safety pins, and the like.	
FIRST AID KIT, TROOP UNIT #	33343
A collection of medical supply items to fill the initial requirements of companies and smaller units.	
FIRST AID KIT, WORK SHOP	40353
A group of items consisting of surgical dressings, non-pneumatic tourniquet, forceps, bandage scissors, wooden splints and the like.	

FIIG A514Y  
FIRST AID KITS  
SECTION I

SECTION I

MRC      Mode Code      Requirements

---

NAME      D      ITEM NAME

Definition: A NOUN, WITH OR WITHOUT MODIFIERS, BY WHICH AN ITEM OF SUPPLY IS KNOWN.

Reply Instructions: Enter the applicable Item Name Code from the Index of Approved Item Names Covered by This FIIG. (e.g., NAMED14037\*).

AJJW \*      A      COMPONENT QUANTITY

Definition: THE NUMBER OF COMPONENTS INCLUDED IN THE ITEM.

Reply Instructions: Enter the quantity. (e.g., AJJWA35\*)

Replies to this requirement will reflect the total number of individual items in the set, kit, outfit, and the like, rather than the total number of sizes, kinds, and the like. For example, if a repair kit contains six identical washers, six identical nuts, and six identical bolts, the correct reply is eighteen (18).

AJJX \*      D      COMPONENT DOCUMENT ORIGIN

Definition: THE ORIGINATOR (GOVERNMENTAL, INDUSTRIAL, OR OTHERWISE) OF THE AVAILABLE DOCUMENT WHICH LISTS THE COMPONENT(S) OF THE ITEM.

Reply Instructions: Enter the applicable Reply Code from the table below. (e.g., AJJXDAF\*)

REPLY CODE

AF  
AD

REPLY (AF59)

GOVERNMENT  
INDUSTRIAL

AJJY      A      DOCUMENT SOURCE

Definition: THE COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE OF THE GOVERNMENT AGENCY-INDUSTRIAL ORGANIZATION, OR OTHER SOURCE, WHICH CONTROLS THE DOCUMENT.

Reply Instructions: Enter the document source. (e.g., AJJYA12345\*; AJJYA1A234\*)

AJJZ      D      DOCUMENT TYPE

FIIG A514Y  
FIRST AID KITS  
SECTION I

MRC      Mode Code      Requirements

---

Definition: INDICATES THE TYPE OF DOCUMENT BY THE TITLE.

Reply Instructions: Enter the applicable Reply Code from the table below. (e.g., AJJZDAC\*; AJJZDAC\$\$DCF\*; AJJZDCF\$DAC\*)

<u>REPLY CODE</u>	<u>REPLY (AF70)</u>
AE	FEDERAL SPECIFICATION
CF	FEDERAL SUPPLY CATALOG
AA	FOREST SERVICE SPECIFICATION
AC	MILITARY SPECIFICATION

AJJC      G                      SUPPLY ITEMS AND QUANTITIES

Definition: A LISTING OF THOSE MAJOR COMPONENTS WHICH ARE COMPRISED OF A NATIONAL STOCK NUMBER, AN ITEM NAME, STANDARDIZED NAME, OR PART NAME, AND THE NUMBER OF EACH.

Reply Instructions: Enter the stock number and name, followed by the quantity.

(e.g., AJKCG6515-01-213-9531 FORCEPS, TOOTH EXTRACTING 1\*)

AJKD      G                      NONSUPPLY ITEMS AND QUANTITIES

Definition: A LISTING OF THOSE MAJOR COMPONENTS, OUTSIDE THE SCOPE OF AN ITEM OF SUPPLY TO BE CATALOGED, AS INDICATED BY THE NAME OF THE MANUFACTURER, AND THE NUMBER OF EACH.

Reply Instructions: Enter the 5-position Cage Code, part number, item name of the part and the quantity. (e.g., AJKDG12345 WC133 SPRING 3\*)

For items not identified with manufacturer's part number, enter the item name and quantity only. (e.g., AJKDG1/4 INCH SOCK WRENCH 2\*)

AKMX      D                      STERILITY

Definition: AN INDICATION OF WHETHER OR NOT THE ITEM IS FREE OF LIVING ORGANISMS.

Reply Instructions: Enter the applicable Reply Code from the table below. (e.g., AKMXDM\*)

<u>REPLY CODE</u>	<u>REPLY (AG96)</u>
M	NONSTERILE
P	STERILE

FIIG A514Y  
FIRST AID KITS  
SECTION I

MRC      Mode Code      Requirements

---

ANGD      D      DISPOSITION AFTER INITIAL USE

Definition: AN INDICATION OF THE DISPOSITION OF AN ITEM AFTER INITIAL USE.

Reply Instructions: Enter the applicable Reply Code from the table below. (e.g., ANGDDAB\*)

<u>REPLY CODE</u>	<u>REPLY (AJ61)</u>
AC	DISPOSABLE
AD	LIMITED
AF	NONDISPOSABLE
AE	NONREUSABLE
AB	REUSABLE

FEAT \*      G      SPECIAL FEATURES

Definition: THOSE UNUSUAL OR UNIQUE CHARACTERISTICS OR QUALITIES OF AN ITEM NOT COVERED IN THE OTHER REQUIREMENTS AND WHICH ARE DETERMINED TO BE ESSENTIAL FOR IDENTIFICATION.

Reply Instructions: Enter the reply in clear text. (e.g., FEATGQUALITY CONTROLLED\*)

ZZZK \*      J      SPECIFICATION/STANDARD DATA

Definition: THE DOCUMENT DESIGNATOR OF THE SPECIFICATION OR STANDARD WHICH ESTABLISHED THE ITEM OF SUPPLY.

Reply Instructions: Enter the applicable Reply Code from the table below, followed by the Commercial and Government Entity (CAGE) Code of the entity controlling the document, a dash, and the document designator. The agency that controls the limited coordination document must be preceded and followed by a slash following the designator. The word canceled or superseded must be preceded and followed by a slash for the designator. Professional and industrial association specifications/standards are differentiated from a manufacturer's specification in that the data has been coordinated and published by the professional and industrial association. Include amendments and revisions where applicable.

(e.g., ZZZKJT81337-30642B\*;

ZZZKJS81349-MIL-D-180 REV1/CANCELED/\*;

ZZZKJP80205-NAS1103\*;

ZZZKJS81349-MIL-C-1140C/CE/\*;



FIIG A514Y  
FIRST AID KITS  
SECTION I

MRC      Mode Code      Requirements

---

ZZZKJT81337-30642B\$\$JP80205-NAS1103\*)

<u>REPLY CODE</u>	<u>REPLY (AN62)</u>
S	GOVERNMENT SPECIFICATION
T	GOVERNMENT STANDARD
D	MANUFACTURERS SOURCE CONTROL
R	MANUFACTURERS SPECIFICATION
N	MANUFACTURERS SPECIFICATION CONTROL
M	MANUFACTURERS STANDARD
B	NATIONAL STD/SPEC
A	PROFESSIONAL/INDUSTRIAL ASSOCIATION SPECIFICATION
P	PROFESSIONAL/INDUSTRIAL ASSOCIATION STANDARD

ZZZT \*      J                      NONDEFINITIVE SPEC/STD DATA

NOTE: If the specification/standard cited in reply to MRC ZZZK is nondefinitive, reply to MRC ZZZT. This reply is the data which is not recorded in Segment C.

Definition: THE NUMBER, LETTER, OR SYMBOL THAT INDICATES THE TYPE, STYLE, GRADE, CLASS, AND THE LIKE, OF AN ITEM IN A NONIDENTIFYING SPECIFICATION OR STANDARD.

*Reply Instructions: Enter the applicable Reply Code from Appendix A, Table 1, followed by the appropriate number, letter, or symbol. (e.g., ZZZTJTY1\*; ZZZTJTY1\$\$JSTA\*; ZZZTJTY1\$JSTA\*)*

ZZZW \*      G                      DEPARTURE FROM CITED DOCUMENT

Definition: THE TECHNICAL DIFFERENTIATING CHARACTERISTIC(S) OF AN ITEM OF SUPPLY WHICH DEPARTS(S) FROM THE TEXT OF A SPECIFICATION OR A STANDARD IN THAT IT REPRESENTS A SELECTION OF CHARACTERISTICS STATED IN THE SPECIFICATION OR STANDARD AS BEING OPTIONAL, OR A VARIATION FROM ONE OR MORE OF THE STATED CHARACTERISTICS, OR AN ADDITIONAL CHARACTERISTIC NOT STATED IN THE SPECIFICATION OR STANDARD.

Reply Instructions: Enter the reply in clear text. (e.g., ZZZWGAS MODIFIED BY MATERIAL\*)

ZZZY \*      G                      REFERENCE NUMBER DIFFERENTIATING  
CHARACTERISTICS

FIIG A514Y  
FIRST AID KITS  
SECTION I

MRC      Mode Code      Requirements

---

Definition: A FEATURE OF THE ITEM OF SUPPLY WHICH MUST BE SPECIFICALLY RECORDED WHEN THE REFERENCE NUMBER COVERS A RANGE OF ITEMS.

Reply Instructions: Enter the reply in clear text. (e.g., ZZZYGCOLOR CODED LEADS\*; ZZZYGAS DIFFERENTIATED BY MATERIAL\*)

CRTL \*      A      CRITICALITY CODE JUSTIFICATION

Definition: THE MASTER REQUIREMENT CODES OF THOSE REQUIREMENTS WHICH ARE TECHNICALLY CRITICAL BY REASON OF TOLERANCE, FIT, PERFORMANCE, OR OTHER CHARACTERISTICS WHICH AFFECT IDENTIFICATION OF THE ITEM.

Reply Instructions: Enter the Master Requirement Code for the requirement, the reply to which renders the item as being critical. (e.g., CRTLAACKJA\*; CRTLAACKJA\$\$ACSGS\*)

Reply to this requirement only if the header record for the item identification for the item being identified has been coded as critical.

PRPY \*      A      PROPRIETARY CHARACTERISTICS

NOTE: If Document Availability Code B, D, F, or H, reply to MRC PRPY.

Definition: IDENTIFICATION OF THOSE CHARACTERISTICS INCLUDED IN THE DESCRIPTION FOR WHICH A NON-GOVERNMENT ACTIVITY HAS IDENTIFIED ALL OR SELECTED CHARACTERISTICS OF THE ITEM AS BEING PROPRIETARY AND THEREFORE RESTRICTED FROM RELEASE OUTSIDE THE GOVERNMENT WITHOUT PRIOR PERMISSION OF THE ORIGINATOR OF THE DATA.

Reply Instructions: Enter the MRC codes of the individual characteristics of the description which are marked proprietary on the technical data, using AND coding (\$\$) for multiple characteristics. If all the MRCs are proprietary, enter the reply PACS. If none of the MRCs is proprietary, enter the reply NPAC. (e.g., PRPYAPACS\*; PRPYANPAC\*; PRPYAAKJA\$\$ACSGS\*)

ELRN \*      G      EXTRA LONG REFERENCE NUMBER

Definition: A REFERENCE NUMBER EXCEEDING 32 POSITIONS.

Reply Instructions: Enter the entire reference number. Do not include the 5-position Commercial and Government Entity (CAGE) Code. (e.g., ELRNGANN112036BIL060557LEN0313605UZ062365\*)

FIIG A514Y  
FIRST AID KITS  
SECTION I

MRC	Mode Code	Requirements
		<p>If there is more than one extra long reference number on the NSN, include the CAGE or NCAGE and separate each reference by using the “&amp;” character, (e.g., 28480 ANN112036BIL060557LEN313605UZ62365 &amp; S1234 NN112036BIL060557LEN313605UZ62365).</p> <p>In determining quantity of characters in the reference number, count will be made after modification in accordance with Volume 2, Chapter 9, FLIS Procedures Manual, DoD 4100.39-M.</p>
AGAV *	G	<p>END ITEM IDENTIFICATION</p> <p>Definition: THE NATIONAL STOCK NUMBER OR THE IDENTIFICATION INFORMATION OF THE END EQUIPMENT FOR WHICH THE ITEM IS A PART.</p> <p>Reply Instructions: Enter the applicable reply in clear text.</p> <p>(e.g., AGAVG3930-00-000-0000*;</p> <p>AGAVGFORKLIFT TRUCK, SMITH CORPORATION, MODEL 12, TYPE A*)</p>
CXCY *	G	<p>PART NAME ASSIGNED BY CONTROLLING AGENCY</p> <p>Definition: THE NAME ASSIGNED TO THE ITEM BY THE GOVERNMENT AGENCY OR COMMERCIAL ORGANIZATION CONTROLLING THE DESIGN OF THE ITEM.</p> <p>Reply Instructions: Enter the reply in clear text. (e.g., CXCYGLINE PROCESSOR CONTROL BOARD*)</p>
CLQL *	G	<p>COLLOQUIAL NAME</p> <p>Definition: A COMMON USAGE NAME BY WHICH AN ITEM IS KNOWN.</p> <p>Reply Instructions: Enter the reply in clear text. (e.g., CLQLGWOVEN WIRE CLOTH*)</p>

**Reply Tables**

Table 1 - NONDEFINITIVE SPEC/STD DATA..... 14

FIG A514Y  
FIRST AID KITS

FIIG A514Y  
FIRST AID KITS

Table 1 - NONDEFINITIVE SPEC/STD DATA  
FOR USE WITH MRC ZZZT

<u>REPLY CODE</u>	<u>REPLY (AD08)</u>
AL	ALLOY
AN	ANNEX
AP	APPENDIX
AC	APPLICABILITY CLASS
AR	ARRANGEMENT
AS	ASSEMBLY
AB	ASSORTMENT
BX	BOX
CY	CAPACITY
CA	CASE
CT	CATEGORY
CL	CLASS
CE	CODE
CR	COLOR
CC	COMBINATION CODE
CN	COMPONENT
CP	COMPOSITION
CM	COMPOUND
CD	CONDITION
CS	CONSTRUCTION
DE	DESIGN
DG	DESIGNATOR
DW	DRAWING NUMBER
EG	EDGE
EN	END
FY	FAMILY
FG	FIGURE
FN	FINISH
FM	FORM
FA	FORMULA
GR	GRADE
GP	GROUP
BA	IMAGE COLOR
NS	INSERT
TM	ITEM
KD	KIND
KT	KIT
LG	LENGTH
LT	LIMIT
MK	MARK
AA	MARKER
ML	MATERIAL
BB	MAXIMUM DENSITY
MH	MESH
ME	METHOD
BC	MINIMUM DENSITY

FIIG A514Y  
FIRST AID KITS

<u>REPLY CODE</u>	<u>REPLY (AD08)</u>
MD	MODEL
MT	MOUNTING
NR	NUMBER
PT	PART
PN	PATTERN
PC	PHYSICAL CONDITION
PS	PIECE
PL	PLAN
PR	POINT
QA	QUALITY
RN	RANGE
RT	RATING
RF	REFERENCE NUMBER
SC	SCHEDULE
SB	SECTION
SL	SELECTION
SE	SERIES
SV	SERVICE
SX	SET
SA	SHADE
SH	SHAPE
SG	SHEET
SZ	SIZE
PZ	SPECIES
SQ	SPECIFICATION SHEET
SD	SPEED
ST	STYLE
SS	SUBCLASS
SF	SUBFORM
SP	SUBTYPE
SN	SURFACE CONDITION
SY	SYMBOL
SM	SYSTEM
TB	TABLE
TN	TANNAGE
TP	TEMPER
TX	TEXTURE
TK	THICKNESS
TT	TREATMENT
TR	TRIM
TY	TYPE
YN	UNIT
VA	VARIETY
WT	WEIGHT
WD	WIDTH

## Reference Drawing Groups

**No table of contents entries found.**





## **FIIG Change List**

FIIG Change List, Effective July 3, 2009

Added AIN FIRST AID KIT MODULE (INC 68321) to Approved Item Name Index.

APPENDIXC

